Strawberry Smoothie

F-2037-02

DESCRIPTION

This cleansing balm melts on contact and can be applied to the face in circular motions. The **BENTONE HYDROCLAY™ 550** helps to cleanse the skin by acting as a natural fine exfoliant before rinsing off with water.

ADVANTAGES

THIXCIN® R PC provides thixotropic flow, creating a soft smoothie like balm, that melts on contact with the skin.

BENTONE HYDROCLAY™ 550 helps cleanse the skin with its light exfoliating effect.

SPECIFICATIONS

Viscosity: DV-II, Spindle 7, 20 rpm, 206,000 cps

Appearance: Thick red balm

Phase	Ingredient	Supplier	%w/w
A	Limnanthes Alba (Meadowfoam) Seed Oil (FANCOR [®] MEADOWFOAM SEED OIL)	Elementis	41.94
	Prunus Amygdalus Dulcis (Almond) Oil		34.00
	Trihydroxystearin (THIXCIN[®] R PC)	Elementis	7.00
	Polysorbate 20 (Tego SMS 20)	Evonik	5.00
	Caprylhydroxamic Acid (and) Caprylyl Glycol (and) Glycerin (Spectrastat)	Inolex	1.00
	Propylene Glycol (and) BHT (and) Ascorbyl Palmitate (and) Glyceryl Stearate (and) Citric Acid (Oxynex 2004)	Merck	0.05
	CI 26100 (SunCroma C23-A204 D&C Red 17)	Sun Chemical	0.01
В	Magnesium Aluminum Silicate (BENTONE HYDROCLAY™ 550)	Elementis	10.00
С	Perfume (Strawberry)	Mystic Moments	0.50
	Water (and) Yogurt Extract (20070 ACB Yogurt Extract)	Active Concepts	0.50

Procedure:

- 1. Combine Phase A and heat to 85°C with stirring.
- 2. Add Phase B to Phase A with Silverson mixing until fully dispersed.
- 3. Transfer to a propeller stirrer and cool to below 30°C.
- 4. Add Phase C and stir until homogeneous.

NOTE: The information herein is currently believed to be accurate. We do not guarantee its accuracy. Purchasers shall not rely on statements herein when purchasing any products. Purchasers should make their own investigations to determine if such products are suitable for a particular use. The products discussed are sold without warranty, express or implied, including a warranty of merchantability and fitness for use. Purchasers will be subject to a separate agreement which will not incorporate this document.

© Copyright 2019, Elementis Specialties, Inc. All rights reserved. Copying and/or downloading of this document or information therein for republication is not allowed unless prior written agreement is obtained from Elementis Specialties, Inc. V01 November 2019

® Registered trademark of Elementis Specialties, Inc.

North America

Elementis 469 Old Trenton Road East Windsor, NJ 08512, USA Tel.: +1 609 443 2500 Fax: +1 609 443 2422

Europe

Elementis UK Ltd. c/o Elementis GmbH Stolberger Strasse 370 50933 Cologne, Germany Tel.: +49 221 2923 2066 Fax: +49 221 2923 2011

Asia

Deuchem (Shanghai) Chemical Co., Ltd. 99, Lianyang Road Songjiang Industrial Zone Shanghai, China 201613 Tel.: +86 21 5774 0348 Fax: +86 21 5774 3563

www.elementis.com