

## Vanilla Hair Mask

H-2003-02

### DESCRIPTION

This rinse-off Hair Mask combines outstanding texture with conditioning and hydrating properties and an elegant vanilla scent - for an all-embracing self-care experience.

### ADVANTAGES

**FANCOR® ABYSSINIAN OIL** improves combability, reduces hair breakage and leaves the hair shiny and smooth.

**MEADOWESTOLIDE®** provides hydrating benefits by improving the water binding capacity of the hair.

**BENTONE HYDROCLAY™ 900** gives the mask its special texture and helps to stabilize the formula.

### SPECIFICATIONS

Viscosity: DV-II. Spindle 7, 10rpm, 52000cp

pH: 6.0 - 6.5

Appearance: off white, shiny cream

Phase	Ingredient	Supplier	%w/w
A	Deionized Water		78.70
	Glycerin		2.00
	Phenoxyethanol (and) Ethylhexylglycerin (Euxyl PE 9010)	Schülke&Mayr	1.00
B	Cetearyl Alcohol (Tego Alkanol 1618)	Evonik	8.00
	Crambe Abyssinica Seed Oil (FANCOR® ABYSSINIAN OIL)	Elementis	6.00
	Meadowfoam Estolide (MEADOWESTOLIDE®)	Elementis	2.00
	Hectorite (and) Hydroxyethylcellulose (BENTONE HYDROCLAY™ 900)	Elementis	2.00
C	Fragrance Vanilla		0.30

### Procedure:

1. Combine Phase A and heat to 75°C.
2. Combine Phase B and heat to 75°C.
3. Add Phase A to B with a Silverson homogenizer and continue mixing for 5 minutes.
4. Stir to ambient temperature with propeller mixing and add Phase C.

Reference:108-20

*NOTE: The information herein is currently believed to be accurate. We do not guarantee its accuracy. Purchasers shall not rely on statements herein when purchasing any products. Purchasers should make their own investigations to determine if such products are suitable for a particular use. The products discussed are sold without warranty, express or implied, including a warranty of merchantability and fitness for use. Purchasers will be subject to a separate agreement which will not incorporate this document.*

© Copyright 2020, Elementis Specialties, Inc. All rights reserved. Copying and/or downloading of this document or information therein for republication is not allowed unless prior written agreement is obtained from Elementis Specialties, Inc.

© Registered trademark of Elementis Specialties, Inc.

V01 August 2020

#### North America

Elementis  
469 Old Trenton Road  
East Windsor, NJ 08512, USA  
Tel.: +1 609 443 2500  
Fax: +1 609 443 2422

#### Europe

Elementis UK Ltd.  
c/o Elementis GmbH  
Stolberger Strasse 370  
50933 Cologne, Germany  
Tel.: +49 221 2923 2066  
Fax: +49 221 2923 2011

#### Asia

Deuchem (Shanghai) Chemical Co., Ltd.  
99, Lianyang Road  
Songjiang Industrial Zone  
Shanghai, China 201613  
Tel.: +86 21 5774 0348  
Fax: +86 21 5774 3563