

Hydra Burst

F-2039-02

DESCRIPTION

This cream can be applied to the skin to help give a refreshing water boost while helping to even out skin pigmentation.

ADVANTAGES

BENTONE® LUXE WN acts as the sole emulsifier in this high internal water phase cream.

SPECIFICATIONS

Viscosity: DV-II, Spindle 7, 20rpm, 34,000 cp

Appearance: Off-white thick cream

Phase	Ingredient	Supplier	%w/w
A	Deionized Water		78.70
	Water (and) Dextran (and) Nonapeptide-1 (Melanostatin 5)	Lucas Meyer	4.00
	1, 2 Propandiol	Alfa Aesar	1.00
	Phenoxyethanol (and) Ethylhexylglycerin (Euxyl PE9010)	Schülke & Mayr	1.00
	Sodium Chloride		0.50
B	Caprylic/Capric Triglyceride (and) Stearalkonium Hectorite (and) Polyglyceryl-3 Diisostearate (and) Polyglyceryl-3 Polyricinoleate (BENTONE® LUXE WN)	Elementis	10.00
	Dimethicone (KF-96L-2cs)	Shin Etsu	4.80

Procedure:

1. Combine Phase A and mix until uniform.
2. Combine Phase B and mix until uniform.
3. With propeller stirring, very slowly add Phase A to Phase B, ensuring that the cream is homogenous before continuing addition.

Reference:102-138

NOTE: The information herein is currently believed to be accurate. We do not guarantee its accuracy. Purchasers shall not rely on statements herein when purchasing any products. Purchasers should make their own investigations to determine if such products are suitable for a particular use. The products discussed are sold without warranty, express or implied, including a warranty of merchantability and fitness for use. Purchasers will be subject to a separate agreement which will not incorporate this document.

© Copyright 2019, Elementis Specialties, Inc. All rights reserved. Copying and/or downloading of this document or information therein for republication is not allowed unless prior written agreement is obtained from Elementis Specialties, Inc.

© Registered trademark of Elementis Specialties, Inc.

V01 November 2019

North America

Elementis
469 Old Trenton Road
East Windsor, NJ 08512, USA
Tel.: +1 609 443 2500
Fax: +1 609 443 2422

Europe

Elementis UK Ltd.
c/o Elementis GmbH
Stolberger Strasse 370
50933 Cologne, Germany
Tel.: +49 221 2923 2066
Fax: +49 221 2923 2011

Asia

Deuchem (Shanghai) Chemical Co., Ltd.
99, Lianyang Road
Songjiang Industrial Zone
Shanghai, China 201613
Tel.: +86 21 5774 0348
Fax: +86 21 5774 3563